## Flo 22 Benchtop **800** Wall 1 Door

## **CABINET SPECIFICATION**

# exclusive to plumbingworld









P	rod	luct	Fea	atııı	2

Product Code	9807BT
Product Description	Flo 22 Benchtop - 800 Wall
Cabinet Material*	
Drawer Configuration	1 Door
Notes	Drawing depicts cabinet only

\*Both the cabinet front and sides are made of Durashell®, except for Baroque Woodgrain and Classic White Satin, which feature Durashell® fronts and matching Melamine sides (with Aqua Edge®).

### **Cabinet Finishes Available**



Flo F2 Finish 1. Classic White Satin,

Flo F3 Finish 2. Black Satin, 3. Lana Grey Satin, 4. Slate Matte,


5. Pistachio Matte, 6. Villa Blue Matte, 7. Baroque Woodgrain

### Handle Colours Available



Soul Handle 1. Matte Black, 2. Brushed Brass, 3. Brushed Nickel, 4. Gunmetal, 5. Chrome, 6. Matte White, 7. Brushed Copper.









# Flo 22 Benchtop

## **TOP SPECIFICATION**

Top Thickness (mm)	F	
	ərry	
Cabinet	Che Pie	귶
Flo 22 Benchtop	20.5	17.5

Product Dimensions (mm)	A	B	©	<b>(D)</b>	(E)
Flo 22 Benchtop - 400	400	224	-	-	-
Flo 22 Benchtop - 550	550	224	-	-	-
Flo 22 Benchtop - 800	800	224	-	-	-

- The top must be sealed to the vanity unit with an acetic cured silicone sealant. Epoxy type sealants must not be used
- Tops can be drilled on site with a standard hole saw

### **Benchtop Finishes Available**




























HPL Woodgrain (BT1) HPL Soft-Matte (BT2) HPL Smooth (BT2) 1. Baroque, 2. Hamptons Elm, 3. Sovereign Oak, 4. Premium Oak - all with Aqua Edge®

5. Black Soft-Matte, 6. Devious Soft-Matte, 7. Foxy Soft-Matte, 8. Minx Soft-Matte, 9. Wicked Soft-Matte - all with Aqua Edge® 10. White Concrete Smooth - with Aqua Edge®

Cherry Pie® Solid Surface (BT3) 11. Bright White, 12. Sugar Cream, 13. Carrara, 14. Calacatta 15. Alabaster, 16. Grey Travertine.







## **BASIN SPECIFICATION**












Product Features	
Product Code	Gloss White Mineral Cast / 2101 Matte White Solid Surface / 2100
Type of basin	Inset
Material of basin	Mineral Cast Solid Surface
Capacity of basin	2.5 litre
Overflow Configuration	No overflow

### Notes:

- This basin is reversible.
- The basin must be sealed to the top with an acetic cured silicone sealant.
- Epoxy type sealants must not be used.

INDICATES TOP SURFACE -----





phone (09) 837 4276 email info@stmichel.co.nz stmichel.co.nz